





CLOUD

FOR THE WIREXPERT SERIES







With **eXport Cloud Enterprise** you operate your own cloud based platform for the exchange of measurement data and measurement lists of your WireXpert series.

Project managers can use this software to obtain measurement data from various installation teams via the Internet and to control measurement projects using LBT files (List-Based-Testing).






RECEIVES measurement data **AND SENDS** measurement lists (LBT files)

This solution makes you completely independent of third-party cloud services, as you run the server software on your own IT infrastructure. You are in control of your data at all times, as you are always in possession of the data and the data do not have to be stored on external servers.



SENDS measurement data AND
RECEIVES measurement lists (LBT files)

CONSTRUCTION SITE



There are no recurrent monthly costs, unlike with SaaS products (Software as a Service).

Only minimum hardware requirements on your enterprise network need to be fulfilled. The hardware required is a commercially available minicomputer or a laptop with Windows 10.

Unique: eXport Cloud Enterprise is installed in your enterprise network and is therefore not dependent on a third party. The customer owns the software, all measurement data are stored in your own network. Access point or smartphone serves as a hotspot for internet access

The WireXpert can use common access points or smartphones with a hot spot function to connect to the internet.

WireXpert connects to available wireless access point or smartphone

All WireXpert devices can be upgraded with this feature.

Any number of WireXpert devices

or of users can be connected by an eXport Cloud Enterprise installation.



SYSTEM SPECIFICATION		
ITEM	DESCRIPTION	NOTES
Supported Operating Systems	 Windows 10 Professional 32-bit or 64-bit Windows 7 Professional 32-bit or 64-bit 	Support for server versions of Microsoft's operating system will be available in future releases Windows Server 2008 Windows Server 2008 R2 Windows Server 2012 Windows Server 2012 R2
Hardware Prerequisites	 Minimum 1 GB of free disk space for Installation 8GB of RAM Intel i5 or i7 Processor 	
Default Ports	Communication Port Default port used by eXport Cloud for communicating with WireXpert and PC Software is 8081	 However, users can select any other port number (ex: 8082, 8500) but please ensure that the selected port is open in the firewall settings
	 Database Connection Port MySQL requires port number 3306 	 Port Number 3306 needs to be open in firewall settings
IP Address	eXportCloud requires a fixed IP address	If user wants to connect to the PC from an external network, then a static/fixed Public IP is required
Web Server	eXportCloud requires Internet Information Services (IIS) version 8.0 and above	Softing will provide a user manual for IIS configuration
MySQL	eXportCloud requires MySQL version 8.0	MySQL will be included in the Installation package
User permissions	 Product installation requires Administrator permission Installation directory needs to be shared Users must have Read and Write permission for the Installation Directory 	

EMEA

Softing SARL 87 Rue du Général Leclerc 94000 Créteil • France +33 (0) 1 45 17 28 05 info.france@softing.com

USA

Softing Inc. 7209 Chapman Highway Knoxville, TN 37920 +1.865.251.5252 sales@softing.us

Germany

Softing IT Networks GmbH Richard-Reitzner-Allee 6 85540 Haar +49 89 45 656 660 info.itnetworks@softing.com

itnetworks.softing.com

For more information please contact:		

©2019 Softing IT Networks GmbH. In line with our policy of continuous improvement and feature enhancement, product specifications are subject to change without notice. Subject to errors and alterations. All rights reserved. Softing and the Softing logo are trademarks of Softing AG. WireXpert and the WireXpert logo are trademarks of Softing IT Networks GmbH. All other cited trademarks, product and company names or logos are the sole property of their respective owners.